







Bague de mise à la masse laiton nickelé
Earthtags nickel plated brass





Filetage / Thread	10	12	16	20	25	32	40	50	63	75
CODE / CODE	567014	567024	567034	567054	567074	567094	567124	567154	567184	567194
A (mm) 	48,75	48,75	48,75	53,8	61,5	73	86,5	111,5	125,5	137,5
B (mm) 	30	30	30	33	36	41	44,5	58	67	73
Ø C	6,75	6,75	6,75	7	10,5	12,2	13,5	13,5	13,5	13,5
Ø D	24,5	24,5	24,5	28,6	34	42	54	67	77	89
e (mm)	13	13	13	13	17	22	30	40	40	40




Contre-écrou laiton nickelé
Nickel plated brass locknut





Filetage / Thread	10	12	16	20	25	32	40	50	63	75	80	90	100
CODE / CODE	221094	221294	221694	222094	222594	223294	224094	225094	226394	227594	228094	229094	229994
A (mm) 	12	14	18	23	28	36	44	54	70	85	90	100	110
e (mm)	2,5	3	3	3	3	3,5	4	5	6	8	9	10	12
Poids (g) 	1	1,7	2,5	4	5,3	10	15	25	59	124	151	190	266




Contre-écrou inox 316 L
Stainless steel 316 L locknut




Filetage / Thread	10	12	16	20	25	32	40	50	63	75	80	90	100
CODE / CODE	221099	221299	221699	222099	222599	223299	224099	225099	226399	227599	228099	229099	229999
A (mm) 	13	14	19	23	29	36	44	54	70	85	90	100	110
e (mm)	2,5	3	3	3	3	3,5	4	5	6	8	9	10	12
Poids (g) 	1,2	1,6	3	3,8	6	9	13,6	22,4	52	114	137	175	245




Contre-écrou équipotentiel
Earthing locknut






Filetage / Thread	10	12	12	16	20	25	32	40	50	63
CODE / CODE	229104	229124	229124	229164	229204	229254	229324	229404	229504	229634
A (mm) 	12	14	14	18	23	28	36	44	54	70
E (mm)	3,1	3,6	3,6	3,6	3,6	3,6	4,1	4,6	4,6	6,6



Bouchon laiton nickelé et inox
Stopping plug nickel plated brass and stainless steel




Filetage / Thread	12	16	20	25	32	40	50	63	75	80	90	100
CODE laiton nickelé* CODE Nickel plated brass	190124	190164	190204	190254	190324	190404	190504	190634	190754	190804	199904	191004
CODE inox** CODE stainless steel		190169	190209	190259	190329							
A (mm) 	14	18	23	28	36	44	54	67	80	85	95	110
L (mm)	2,8	3	3	3,5	4	4	5	5,5	6	7	8	10
E (mm)	15	15	15	15	15	15	16	17	18	20	22	22
Poids* (g) 	11	18,5	25	40	65	93	152	258	395	464	661	950
Poids** (g) 		27,5	44	70	115							





Rondelle anti-desserrage acier zingué et inox
Serrated washer zinc steel and stainless steel

Filetage / Thread	16	20	25	32	40	50	63	75
CODE acier zingué	280016	280020	280025	280032	280040	280050	280063	280075
CODE inox	280069	280029	280259	280329	280409	280509	280639	280759
e (mm)	1,2	1,5	1,5	1,5	1,5	1,5	1,5	1,5




Joint plat
Sealing washer

Filetage / Thread	10	12	16	20	25	32	40	50	63
CODE néoprène	221049	221249	221649	222049	222549	223249	224049	225049	226349
CODE silicone	-	221247	221647	222047	222547	223247	224047	225047	226347
D (mm)	15	18	22	24	30	42	52	63	77
e (mm)	1,2	1,2	1,2	1,2	1,5	1,5	1,5	1,5	2





Joint plat fibre rigide
Fiber sealing washer


Filetage / Thread	12	16	20	25	32	40	50	63
CODE / CODE	221245	221645	222045	222545	223245	224045	225045	226345
N°	4	5	6	7	8	9	10	11
D (mm)	18	22	27	35	43	55	69	82
e (mm)	1,5	1,5	1,5	1,5	1,5	1,5	1,5	2



Réducteur laiton nickelé Male/Femelle
Reducer nickel plated brass Male / Female


Filetage / Thread	16/12	20/12	20/16	25/16	25/20	32/20	32/25	40/25	40/32	50/32
CODE / CODE	745834	745844	740024	740034	740294	740304	740564	740574	740834	740844
A (mm) 	18	23	23	28	28	36	36	44	44	54
L (mm)	2,8	3	3	3	3	3,5	3,5	4	4	5
E (mm)	15	15	15	15	15	15	15	15	15	16




Filetage / Thread	50 / 40	63 / 40	63 / 50	75 / 50	75 / 63	90 / 63	90 / 75	100 / 75	100 / 90	110 / 100
CODE / CODE	741104	741114	741374	741384	741644	745854	745864	745874	745914	745934
A (mm) 	54	67	67	80	80	95	95	110	120	120
L (mm)	5	5,5	5,5	6	6	8	8	10	10	11
E (mm)	16	17	17	18	18	22	22	22	22	22




Amplificateur laiton nickelé Male/Femelle
Adaptor nickel plated brass Male / Female

Filetage / Thread	12 / 16	16 / 20	20 / 25	25 / 25	25/32	32/40	40/50	50/63	63/75	75/90	90/100
CODE / CODE	745334	740274	740544	740554	740814	741084	741354	741624	741894	745394	745484
A (mm) 	18	23	28	28	36	44	54	67	80	95	110
Ø D	7,7	11,7	15,5	20,3	20,3	27,3	35,3	45,2	57,8	69,3	83,2
L (mm)	18,5	18,5	18,5	19	19	19	20	21	22,5	27,5	27,5
E (mm)	15	15	15	15	15	15	15	16	17	18	22






Adaptateur Male ISO/Femelle NPT
ISO male to NPT female adaptor



Type 1

Filetage / Thread	16/1/2	20/1/2	20/3/4	25/1/2	25/3/4	25/1	32/1/2	32/3/4	32/1	40/3/4
CODE / CODE	744694	744704	744964	744714	744974	745234	744724	744984	745244	744994
Type	1	1	1	2	1	1	2	2	1	2
A (mm)	24	24	30	28	30	38	36	36	38	44
Ø D	11,7	15,5	15,5		20,3	20,3			27,3	
L (mm)	18	18	18,5	3	18,5	22,5	3,5	3,5	22,5	4
E (mm)	15	15	15	15	15	15	15	15	15	15



Type 2

Filetage / Thread	40/1	40/1 1/4	40/1 1/2	50/1	50/1 1/2	50/2	63/1 1/2	63/2	75/2	75/2 1/2	75/3
CODE / CODE	745254	745514	745774	745264	745784	746044	745794	746054	746064	746324	746584
Type	2	1	1	2	1	1	2	1	2	1	1
A (mm)	44	48	52	54	54	64	67	67	80	80	95
Ø D		35,3	35,3		41,7	45,2		53,6		64	69,3
L (mm)	4	22,5	22,5	5	12,5	22,5	5,5	22,5	6	31	33,5
E (mm)	15	15	15	16	16	16	17	17	18	18	18